

Index

(larger type)

A

abney level 125
 ABS (drainpipe) 30, 31, 34, 81, 82
 access plugs 95, 96
 acidic soil. See soil, acidic
 activated sludge treatment 136
 ac (acre) 139
 adobe 66
 aerobic conditions 46, 47, 99
 Aerobic Treatment Unit (ATU) 72
 aesthetics 5, 75, 77, 121
 afy (acre-feet per year) 139
 airlock 56
 air gap, vacuum breaker 23, 25, 58, 60
 Alaskan oil camp 102
 algae bloom 41
 allelopathic trees. See trees, with germination inhibiting properties
 anaerobic conditions 46, 75, 97
 in dosing siphons 82
 digestion 72
 meltdown 69
 animals, burrowing. See burrowing animals
 apple. See fruit trees
 appliance energy use 103
 appliance pumps. See pumps, appliance
 aquatic ecosystems 41
 Aqua Flo Supply (supplier) 141
 aquifers. See groundwater
 architects 17
 area
 for irrigation 39–40
 for treatment 13, 14, 37, 38, 46, 97
 of mulch basins 112
 small yard 3, 12
 arid lands. See climate, dry
 Arizona 138
 assuming it's simple (error) 100
 atm (atmosphere) 139
 ATU. See Aerobic Treatment Unit (ATU)
 auditory warning of failure 24
 auger holes 50
 Automated/Sand Filtration to Sub-surface Emitters. See greywater system types, Automated/Sand Filtration to Subsurface Emitters
 avocado. See fruit trees

B

backfilling (under pipe) 92, 94
 bacteria 18, 46, 67, 69, 72
 beneficial 74
 bamboo. See plants, bamboo
 bananas 129
 barrel outlet chamber. See outlets, half-barrel
 bathing garden. See greywater system types, Landscape Direct
 bathtubs 11, 40, 47, 53, 57, 61, 88, 113
 “forever hot” 9
 plumbing 25, 26, 28
 bends (in pipe) 81
 beneficial bacteria. See soil bacteria

berms 117
 big family in new house (example) 118
 Big Sur 102
 Bilson, Steve 71
 biocompatibility chart 42
 Biological Oxygen Demand (BOD) 68, 72
 biomat 64
 blackwater 2, 72, 102, 107
 and vents 24
 health considerations 67, 88
 systems for treating 53, 67, 68, 87, 115, 116
 bleach 43
 BOD. See Biological Oxygen Demand (BOD)
 bogs 47, 98, 117–118
 Bolcomb, Doug and Sarah 66
 book design i
 boron 42, 43
 Box Troughs. See greywater system types, Subsoil Infiltration Galleys
 Branched Drain. See greywater system types, Branched Drain
 bucketing greywater. See greywater system types, Bucketing/Dishpan Dump
 Builder's Greywater Guide 7, 15, 29, 39, 76, 83, 88, 95, 110, 111, 120, 138, 140, 146
 building paper 63
 buried utilities 90
 burrowing animals 96, 97
 bypass 25, 60

C

California Department of Water Resources 43
 California greywater study 111
 California Plumbing Code (CPC) 64, 71, 109, 112
 canoe shaped tank 115
 carbon/nitrogen ratio 47
 car washing 15
 cattails 68
 Center for Irrigation Technology 71
 channels (for greywater). See greywater system types, Furrow Irrigation
 Chemical Oxygen Demand (COD) 72
 chlorine 42, 43, 135
 cisterns 102, 114, 115, 137
 civilization, collapse of 44
 clarified septic effluent 69, 72, 87, 98
 clay soil 12, 19
 cleaners 136
 biocompatible 41–43, 127
 study 140
 contamination from 18
 in the developing world 127
 cleanouts 22, 24, 26, 55, 81, 84, 95, 111
 clearwater 2, 40, 109
 definition 2
 climate 13, 14, 15, 46
 cold 45, 52, 68, 99, 109, 116, 126
 dry 13, 39, 44, 68, 84, 106, 114, 118, 137
 extreme 8, 15, 65
 warm 45
 wet 39, 50, 117
 Clivus Multrum (supplier) 137, 141

clogging 83, 98
 clearing clogs 95, 96, 97
 of double ell flow splitters 112
 of filter (story) 108
 COD. See Chemical Oxygen Demand (COD)
 coliform bacteria. See bacteria
 combined wastewater designs used for greywater (error) 107
 compacting soil 94
 compost 12, 48, 50, 56, 128
 heat generated by 126
 computer controls 69
 concrete (mixing) 90
 conifers 46
 conjunctive use 137
 Constructed Wetlands. See greywater system types, Constructed Wetlands; See also greywater system types, Constructed Wetland context i, 5–16, 17–21, 121
 contour map 12, 123
 contractors 16, 17
 conversion (of units) 139
 coordination (of specialists) 17
 copper pipe 31
 cost/benefit. See economics, cost/benefit
 CPC/UPC 8, 18, 52, 62, 64, 76, 81, 101, 110, 120
 creeks 18, 104
 critical distance (for p-trap) 23
 cross connections 18, 138
 crud 22, 23, 56, 75, 82, 84, 91, 134
 Cuernavaca 75
 cyclones 130

D

“dark grey” water 2
 daylighting 95
 demonstration projects 101
 dengue fever 127
 desert. See climate, dry
 designs from government, salespeople, and engineering firms (error) 109–110
 developing world. See non-industrialized world
 diapers 18, 138
 dipper box 78, 79, 81, 95, 98, 112
 as cleanout 24
 as flow splitter 78, 83
 installation 90–91, 111
 in Green Septic 67
 disease. See health considerations
 Dishpan Dump/Bucketing. See greywater system types, Dishpan Dump/Bucketing
 dishwasher 25, 53
 disinfection 22, 69, 73, 74, 101, 135
 disposal (of greywater) 7, 20
 disposal environment 42
 distillation 136
 distribution (of greywater) 34
 by gravity 11
 cones. See emitters, distribution cones
 drip. See irrigation, drip
 ditches. See swales
 diverter valve. See valves, diverter (3-way)
 donkey (as means of water transport) 114
 dosing 37, 52, 64, 73
 progressive failure without 64
 dosing siphons 29, 81, 82, 98
 double ells 56, 76, 78, 80, 81, 93, 98

downspouts (for rain) 24, 50, 78, 84
 drain-waste-vent (DWV) plumbing 31, 81
 drains (in surge tanks) 103, 115
 Drain to Mulch Basin/Drain Out Back. See greywater system types, Drain to Mulch Basin/Drain Out Back
 dripline 30, 48, 50
 drip irrigation. See irrigation, drip
 drought 28, 37, 50, 108, 110, 136
 as design consideration 15, 101
 temporary GW systems 61, 133
 Drumless Laundry. See greywater system types, Drumless Laundry
 Drum with Pump (and Filter). See greywater system types, Drum with Pump (and Filter)
 drywells 50
 dual plumbing. See plumbing, greywater and toilet separate
 dynamite uses in the garden 50

E

earthworms 64
 eco-tourism 119, 129
 eco-villages 114
 ecological cost 74, 77
 ecological design 5
 Ecological Machines 69
 economics 5, 16, 53, 69, 77, 100, 101, 109, 111
 cost/benefit 3, 15, 16
 cost/benefit examples 112, 114, 115, 118, 130
 cost of suburban system (table) 113
 Eden-like bathing grotto 54
 edible landscaping 19, 54, 140
 efficient fixtures. See fixtures, efficient
 elbows 81
 electricity 16, 53, 74, 75, 76, 133, 134
 electronics 74
 emitters 24, 30, 62, 112
 distribution cones 69–71
 drip 63
 sub-mulch 111
 energy use 51, 71, 133, 134, 136
 engineers 17
 environmental impact ii, 5, 74
 EPDM 68
 erosion 97
 errors and mistakes 100–110
 evaporation 19
 evapotranspiration 13, 43, 46, 130
 peak values by climate 14
 evergreen trees 46. See also fruit trees
 examples 111–120

F

Fab One-Shot 127
 failure 74
 modes 24
 rate 77
 fall (for pipes) 19, 82, 93, 114
 and pumps 133
 as design constraint 11, 20
 conserving 19, 22–23, 25, 112
 in household water cascade 136
 slope for optimal flow 22
 fantasy and reality (transitioning between) 16

- faucets 37
ferrocement 65, 114, 115, 140
fertilizer 47, 48, 50, 96
figs. See fruit trees. figs
filter fabric 64
filtration 4, 53, 62, 74, 77, 119, 134, 134–136
 and pumps 63, 73, 103
 by settling 72, 135
 cleaning filters 18, 37
 common mistakes 108
 failure modes (table) 24
 for drip irrigation 72, 108
 for perforated pipe 106
 net bag 62, 134
 plumbing 20, 22
 sand filtration 46, 69, 101, 107, 118, 133, 134
 surge capacity before 28
 using Constructed Wetland for 69, 135
 using infiltration bed for 135
finding pipes. See mapping your greywater system
fire 15
fittings (for pipe) 31
 leaving unglued 92
 shoulder in 31
fixtures 51. See also bathtubs; See also showers; See also sinks; See also washers
 efficient 9, 14, 19
flash floods 137
flexibility (building for) 23
flexible PVC. See PVC (pipe), flexible
float switch 30, 133
flooding 15, 19, 89, 101
floodway 138
flow bottleneck 28
flow splitters 76, 79, 81, 85, 91
 and Green Septic 67
 branching geometry 83
 building for flexibility 78
 clearing 95, 96
 trying to clog (story) 112
Fluid Dynamic Siphons, Inc (supplier) 141
forces of nature 15
foul stench. See odor, minimizing
freezing 3, 53, 59, 60, 99, 126
 automatic zone switch for 126
 French drain tubing 108
friction-fit connections 23, 92, 93
frost line 126
fruit trees 39, 111, 112, 113, 114, 115, 119, 127
 citrus 20, 74
 for greywater reuse 45
 for treatment/disposal 46
 irrigation need example 13
 on swales 50
 stone fruit 21
ft³/sec (cubic feet per second) 139
fudge factor
 jiggling estimates by 15
Furrow Irrigation. See greywater system types, Furrow Irrigation
- G**
gal (gallon) 139
garden hoses 18, 30, 54
garden hose direct from the back of the washer (error) 106
Garden Hose Through the Bathroom. See greywater system types, Garden Hose Through the Bathroom
 general principles (lack of) 101
 Geoflow (supplier) 141
 geometry of Branched Drains 83, 113
 gluing pipe 83, 92–93
 goals i, 5–16, 16, 100, 101
 gophers. See burrowing animals
 gpm (gallons per minute) 139
 gravel
 in Mini-Leachfield 64
 in the garden 101
 Gravity Drum. See greywater system types, Gravity Drum
 grease 97, 99
 trap 97, 103
 greenhouses. See greywater system types, Solar Greywater Greenhouse
 Green Septic. See greywater system types, Green Septic
 greywater
 definition 2
 during wet season 114
 estimating quantity 9–11
 percentage of total wastewater 2
 what to do with it when you don't need it 41
 Greywater Extras 146
 Greywater Policy Center 110, 140
 greywater staying on surface (error) 104
 greywater systems
 elements of 4
 for large house 20
 overbuilt (error) 101
 overly complicated (error) 74
 greywater system types 52
 Automated/Sand Filtration to Subsurface Emitters 16, 29, 37, 52, 69, 70, 118
 Branched Drain 39, 51, 52, 104, 107, 114, 134
 and infiltration galleys 64
 cement channel 75
 clog test 80
 design 74–89, 123
 example 6, 40, 111
 fall required 12, 22
 installation 90–99
 in cold climates 126
 limitations of 76–78
 permitted 7
 with HDPE 36
 Constructed Wetland 52, 68, 109
 as filter 135
 calculating area of 38
 example 114, 115, 116
 for low perk soil 12
 in a desert (error) 101
 storing effluent from 103
 Constructed Wetlands 140
 Dishpan Dump/Bucketing 52, 61, 105, 114, 127
 buckets as drowning hazard for kids 115
 distribution cones. See emitters, distribution cones
 Drain to Mulch Basin/Drain Out Back 36, 40, 52, 55, 74, 75, 100, 107, 114, 127
 Drumless Laundry 40, 52, 58, 64, 106
 Drum with Pump (and Filter) 24, 52, 60, 62, 64, 65, 98, 134
 Furrow Irrigation 11, 52, 75, 127–132
 Garden Hose Through the Bathroom 52, 61
 Gravity Drum 57, 62, 106
 Green Septic 52, 67, 98
 Landscape Direct 36, 52, 55, 127
 Laundry Drum 52, 57
 Mini-Leachfields 52, 63
 in CA law 110
 Moveable Drain to Mulch Basins 40, 51, 52, 56, 107
 Septic Tank, Media Filtration, and Subsurface Drip 52
 Solar Greywater Greenhouse 38, 39, 52, 65, 69, 98, 105, 126
 bathing grotto in 54
 photo 65, 66, 126
 study on 140
 Subsoil Infiltration Galleys 52, 64, 65, 66, 73, 98
 example 115
 groundwater ii
 contamination ii, 12, 18, 46, 136, 138
 mining ii
 recharge 3, 41, 136, 137
 guava. See fruit trees
 gypsum 44
- H**
half-barrel outlet chamber.
 See outlets, half-barrel
half pipes 65, 73
hardpan 50
ha (hectare) 139
HDPE. See High Density Polyethylene (HDPE)
health considerations 18, 91, 105, 140
 and irrigating turf 104
 and irrigating vegetables 105
 and secondary treatment 72
 and subsoil infiltration galleys 87
 blackwater 67
 greywater on surface 41
 hygiene 114, 121
 infectious microorganisms 105
 in the non-industrialized world 127
 study 140
 too much/little concern 3, 104
heat recovery 126, 140, 141
hedges 13, 19
High Density Polyethylene (HDPE) 64, 86
 pipe 31, 35, 59, 62, 99
high flow greywater systems 7, 15, 38, 39, 53, 71, 102, 103, 107, 109
 Branched Drain unsuitable for 78
high pressure 37
Hilo 137
Homestead Utilities (supplier) 109, 141
hose thread adapter 58
household water cascade 2, 41, 120, 135, 136–138, 140
houses
 building smaller 102
 Huehuetortuga 114, 116
 humidity 14
 hydrogen peroxide 43
 hydrogen sulfide 103
- I**
inconvenience (of greywater systems) 3
inexpensive greywater to drip irrigation (error) 108–109
infiltration 19
 rates 13
infiltration galleys. See greywater system types, Subsoil Infiltration Galleys
Infiltrators 30, 64. See also greywater system types, Subsoil Infiltration Galleys
 for Branched Drain 86, 87, 94, 113
 for Green Septic 67
 in Constructed Wetland 68
Infiltrator Systems (supplier) 141
inlet (of tank) 115
inspections (for permit) 7, 17, 22, 85, 88, 95, 110
inspection access 84
 for flow splitters 80
 plugs (in double ells) 80
iron pipe 31
irrigating plants that can't take it (error) 106
irrigation 2
 actualizing water savings 106
 coordinating greywater and freshwater 37, 38–39, 39, 69
 demand 13, 20, 116, 129
 example 14, 113
 matching to greywater delivery 38, 39, 40
 drip 37, 39, 72, 108
 efficiency 37, 38, 75, 105, 112, 114, 133
 definition 40
 in Branched Drain 78
 subsurface 63, 105
 supplemental 20, 88, 112
 underground drip 15. See also Geoflow (supplier)
 uphill 76
 variation 105
 zones 81, 98, 99
- J**
Jandy (supplier) 141
John Todd Ecological Design, Inc. (supplier) 141
- K**
kPa (kilopascal) 139
- L**
labor (estimate of) 36
lakes 18
landscapers 17, 77, 94
landscapes 19, 37–50
Landscape Direct. See greywater system types, Landscape Direct
Laundry Drum. See greywater system types, Laundry Drum
laundry water 25, 107, 113
 separate system 51
lawns 13, 15, 45, 52, 69, 77
 irrigating with GW (error) 104
 systems for irrigating 69–73.
 See also Orenco Systems (supplier); See also ReWater Systems (supplier)
laws 120, 138
leachfields 8, 16, 67, 81, 107, 112
 failing 88
Leaching Chamber. See greywater

- system types, Subsoil Infiltration Galleys
 - leaves. See mulch
 - LEED 137
 - legality 1, 3, 15, 17, 25, 75, 77, 109, 112, 120
 - CA GW law as example (error) 110
 - of Branched Drain 57
 - leveling pipe. See pipe, leveling
 - life-cycle analysis 71
 - lifestyle 5
 - ecological 16, 34
 - life expectancy (of GW system) 112
 - lint 41, 107
 - Little Giant Pump Company (supplier) 30, 133, 141
 - Living Machines. See Ecological Machines
 - loading rate 130
 - locating pipe. See mapping your greywater system
 - Long Term Acceptance Rate (LTAR) 13
 - Los Angeles 104
 - Department of Water Reclamation 3
 - lpm (liters per minute) 139
 - lumping or splitting flow 19
 - L (liter) 139
- M**
- m (meter) 139
 - m³/day (cubic meters per day) 139
 - m³ (cubic meter) 139
 - maintenance and troubleshooting 15, 17, 21, 24–28, 74, 76, 95
 - of Branched Drains 77, 96
 - of greywater furrows 130
 - of subsurface drip 71, 72, 119
 - mango. See fruit trees
 - mansion with a greywater system 102
 - mapping your greywater system 95
 - Maruata 127, 130–132
 - measuring greywater flow 112
 - mesh filter bag 63
 - Mexico 61, 68, 69, 75, 114
 - Michoacán 119–120, 127, 130–132
 - microclimate 19
 - microorganisms 18
 - Mid State Concrete (supplier) 141
 - minerals (in greywater) 69
 - Mini-Leachfields 62. See also greywater system types, Mini-Leachfields
 - mistakes. See errors and mistakes
 - moisture sensors 98
 - moles. See burrowing animals
 - monsoon 130
 - mosquitoes 47, 75, 127, 138
 - Moveable Drain to Mulch Basins. See greywater system types, Moveable Drain to Mulch Basins
 - muck. See crud
 - mulch 12, 47, 48, 50, 57, 84, 85, 97, 111, 117, 118
 - automatic replenishment 74
 - health considerations 18, 29, 74
 - in cold climates 99
 - in the non-industrialized world 127
 - mulch basins 47–50, 52, 75, 76, 85, 86, 87
 - and runoff management 19
 - area required 38
 - forming 94
 - for rot sensitive plants 87, 99
 - in various systems 54–63, 74, 111, 114, 117
 - servicing 96, 112
 - surge capacity 29, 88
 - Multi-Mode Greywater Tank 114
 - multifamily greywater systems. See high flow greywater systems
 - multiunit dwellings 7
 - municipal wastewater 69
- N**
- naked eye (as measurement tool) 124
 - Natural Systems (supplier) 141
 - natural waters
 - contamination of 2
 - gw discharge into 74
 - neighbors 15
 - new construction 7, 17, 38, 67, 69, 75, 101, 110, 118, 120, 138, 146
 - note for 7
 - New Mexico 138
 - nitrate 46
 - nitrogen 2, 42, 47
 - no-hub connectors 23, 26, 33
 - non-industrialized world 9, 52, 74, 80, 127–132
 - drain out back for 74
 - Northwest Water Source (supplier) 141
 - no money (design example) 130
 - no water (design example) 114–115
 - NutriCycle Systems (supplier) 141
 - nutrients 2, 72, 100, 118
 - reclamation of 3
 - nutrient and water cycles 3
- O**
- oak trees 106
 - Oasis Biocompatible Cleaners (supplier) 141
 - Oasis Design (supplier) 141
 - obstacles (to laying pipe) 90
 - odor 75
 - minimizing 28, 97, 118, 128
 - optimization 17
 - Orenco Systems (supplier) 72, 73, 141
 - outdoor living area 19, 45
 - cooling by evaporation 19, 130
 - outlets 39, 76, 85, 94, 95, 96, 111
 - 5 gal buckets 94, 113
 - chambers 118
 - configurations 87
 - extensions 92
 - flower pot 86
 - flower pot chamber 111, 112, 113
 - free flow 47, 84–85
 - in cold climates 126
 - half-barrel 86
 - in Branched Drains 84
 - positioning 87–92
 - sub-mulch via outlet chambers 85–86
 - subsoil infiltration galleys 86–87
 - troubleshooting 96, 97
 - out of context design 101
 - overflow 82
 - overflows 24, 25, 27, 28
 - ozonators 73, 101, 135
- P**
- p-trap 23, 25, 26, 55, 80
 - Pacific Echo, Inc. (supplier) 141
 - paint sprayer bag (as filter) 30, 134
 - pantyhose (as filter) 30, 63, 69, 134
 - parties (diverting greywater during) 18
 - parts (for greywater systems) 30, 31–34, 80–82, 81
 - passive solar heat 19
 - pathogens 2, 18, 42, 46, 54
 - study, travel in soil 141
 - peach. See fruit trees
 - pear. See fruit trees
 - pee. See urine
 - percolation 2, 3, 6, 12, 37
 - greywater loading rates depending on 13
 - high 45, 114
 - low 8, 41, 47, 67, 76, 87, 99
 - use of wetlands where rate is low 68
 - perfection standard 5, 34
 - perforated pipe 106
 - reasons not to use 104, 106
 - performance standard 121
 - permaculture 37
 - permits 7, 15, 34, 75, 76, 91, 102, 111, 118
 - pH 43
 - phosphate 43, 46
 - varying effect by disposal environment 42
 - photos (of your site) 121, 123
 - photos (of your system) 95
 - photovoltaics 137
 - pigs 130
 - pipe 81
 - flow resistance 59
 - laying 92–95
 - leveling 76, 94
 - proper slope 11, 22, 76, 85, 92, 93, 112
 - size 59, 99
 - plants 45–47
 - bamboo 45, 140
 - as pipe 31
 - small 77
 - treatment capacity 39
 - water and rot sensitive 49
 - wetland 39, 46, 47, 68
 - plastic (amount of) 77, 83
 - plastic drums 28
 - as surge tank 62
 - plum. See fruit trees
 - plumber's snake 24
 - plumbers 17, 22, 25, 77, 94, 107, 112
 - plumbing
 - cast iron 27, 34
 - codes 22, 24, 87
 - collection 51, 57, 67, 84
 - distribution 4, 51, 81, 90, 104
 - do-it-yourself 25, 29
 - fittings 99
 - gravity collection 4, 11, 19, 22, 26, 56
 - greywater and blackwater separate 7, 67, 71
 - health considerations 22
 - in slab 52
 - pipe size 28, 31, 107
 - potable water designs, parts for gw (error) 108
 - pressurized collection 25, 59
 - principles 22
 - professional installation 8
 - radical 24, 34–36, 36
 - where to divert greywater 23
 - Polylok Inc. (supplier) 82, 141
 - population density (high) 41
 - potassium 42, 43
 - potassium chloride. See salt
 - Kalium Chemical (supplier) 141
 - precipitation. See rainfall
 - pressure relief 24
 - pressure sensors 133
 - Principles of Ecological Design 101, 146
 - privacy 19
 - prunings. See mulch
 - psi (pounds per square inch) 139
 - puddles 128
 - pumps 4, 20, 30, 74, 77, 119, 133–136
 - and Branched Drains 76
 - appliance 25, 58, 59, 60, 106
 - effluent 62, 73
 - enthusiasm for (error) 103
 - failure 24, 69
 - height differential 59
 - sump 63
 - surge capacity before 28
 - to pressurize lines 108
 - where to install 22
 - Zabel 62, 133
 - purification
 - greywater degree of 2, 18, 47, 136, 140
 - natural 1
 - PVC (pipe) 30, 31, 59, 82, 91, 99
 - flexible 30, 56, 58, 78, 79, 81, 96
 - PVC sanitario 32, 80, 81
- Q**
- quince. See fruit trees
- R**
- rain, using greywater during 41
 - rainfall 43
 - high 50
 - low 19, 127
 - rainwater 17, 19, 44, 78, 96
 - drum 57
 - harvesting 5, 40, 57, 137, 140
 - rainwater inlets 84
 - rain gutters 17, 24, 96
 - raw food 18
 - raw land 17
 - raw vegetables 105
 - Real Goods (supplier) 141
 - real world examples. See examples
 - rebar 90
 - receiving landscape 4, 90
 - reclaimed water 2
 - reducing vs. reusing 5
 - reductions 81, 84
 - reforming mulch basins. See mulch basins, servicing
 - regulators 69, 71, 100, 102, 120
 - remodeling 138. See also retrofits
 - removable couplings 23
 - repairing soil 44
 - retrofits 7, 15, 33–36, 38, 75
 - return flows 4
 - reuse
 - efficiency 5, 20, 74, 77, 115
 - indoor 8
 - vs. disposal 13, 39, 57
 - reverse-osmosis drain water 2, 11, 40, 109
 - ReWater Systems (supplier) 37, 69, 102, 118, 119, 141

- rock beds 66
 roots
 clogging pipes 56
 weed-stop matting 63
 root suffocation 75, 87
 root zone 48, 78, 96
 rot sensitive plants. See plants, water and rot sensitive
 runoff 89, 117
 in wet climates 50, 96, 98
 management 19, 40, 137, 141
 of greywater 24, 118, 129
- S**
- s-trap 23
 salt 37, 43, 44, 127
 flushing with rainwater 19, 24, 44, 57, 78, 84, 96
 in cleaners 43
 removal in hydrologic cycle 136
 varying effect by disposal environment 42
 sand filtration. See filtration, sand filtration
 sanitary fittings 31
 sanitary tees. See tees
 sanitation 74, 127. See also health considerations
 Santa Barbara 110
 San Diego 71
 savings 16
 sawsall 27
 screen mesh 57
 scribing arcs to locate pipes.
 See mapping your greywater system
 seawater desalination 3
 septic/sewer 2, 25, 26, 43, 98
 eliminating 8, 34
 Septic Tank, Media Filtration, and Subsurface Drip. See greywater system types, Septic Tank, Media Filtration, and Subsurface Drip
 septic tanks 2, 12, 41, 71, 81, 107, 114, 115, 117
 as filter 87, 107, 135
 codes 18
 effluent. See clarified septic effluent
 Green Septic. See greywater system types, Green Septic
 saving money by removing greywater 9, 16, 112
 site unsuitable for 2
 service (ease of) 24
 settling tank. See septic tanks
 sewage treatment plant 3, 75, 88
 sewers 9, 25, 44, 71, 111, 140
 sewer gas 23
 shade 127
 shortcuts 7
 showers 11, 20, 28
 plumbing for 25, 40, 113
 systems for reusing water 53, 57, 61
 "Shrubber" emitter 50
 shrubs 46
 signs of system distress 24
 silicone sealer 23, 33, 92
 sinks 25, 26
 bathroom 11, 28, 40, 53, 106
 kitchen 2, 11, 28, 33, 40, 53
 laundry sink as surge tank 28
 siphons 24, 59, 60, 61, 124
 site assessment form ii, 17, 121–123
 site map 9, 12, 19, 111, 121
 examples 113, 116
 slab on grade construction 20
 slope (for gravity distribution) 76, 126. See also pipes, proper slope
 measuring 124–125
 slow drains 24
 slugs 80, 97
 snow 99
 soaker hose (useless for GW) 108
 soaps
 liquid vs powder 43
 social climate 15
 sodium 43
 sodium chloride. See salt
 sodium perborate 43
 softeners. See cleaners, biocompatible
 soggy soil. See waterlogging
 soil
 acidic 45
 alkaline 44
 clay 43, 49, 56, 118, 127
 loading rates 13
 overload 75
 pH 44, 47
 quality, preserving & repairing 41–44, 111, 112
 type (effect on irrigation design) 40
 unsuitable for GW 3
 Solar Greywater Greenhouse.
 See greywater system types, Solar Greywater Greenhouse
 solar heating 66
 Southwest Wetlands 68
 spa-flex. See PVC (pipe), flexible
 spill point 24, 29
 splitting the flow 75, 78, 79
 sprinklers 18, 105, 135
 standpipe 60
 State Revolving Fund (SRF) 71
 sterilization 135
 Stinson Beach 72
 storing greywater (error) 18, 103, 114
 straw. See mulch
 street fittings 31
 subsoil infiltration galleys 57, 98
 subsurface irrigation. See irrigation, subsurface
 suburbia (design example) 16, 112
 "suds saver" 137
 suffocation of plant roots 39
 sulphur 42
 to lower pH 44
 supply fittings 31
 surface water
 contamination ii, 18, 41, 118, 128, 136
 surges 28, 85
 creating 82
 surge capacity 28–29, 50, 112
 before filter 28
 measuring 95
 of Branched Drains 88
 surge tanks 4, 22, 24, 28, 74, 77, 103, 108, 133
 for dosing siphon 29
 in various systems 58, 62, 71, 114, 115
 underground 28
 surge volume 47
 swales 19, 29, 50, 130, 137
 swept earth 127, 132
 swimming pools 15
 systems approach (to design) 17
 system overload 18, 38
- T**
- Tad Montgomery & Associates (supplier) 141
 tax credit 3
 tees 63, 80, 81
 as flow splitter 78
 sanitary 93
 Texas 138, 140
 third world. See non-industrialized world
 three-way valve. See valves, diverter (3-way)
 Tijuana 127
 Todd, John 69
 toilets 11, 14, 26, 43
 composting 34, 36, 43, 117, 137, 141
 Clivus Multrum (suppliers) 141
 WHO study & designs 141
 dry 114
 flushing with greywater 8, 41, 109, 120
 in household water cascade 136
 low flow 114
 plumbing separate from greywater 23, 25
 Watson Wick 36
 tools for greywater work 34
 in the developing world 128
 too wet (design example) 117–118
 topsoil
 treatment capacity 18
 town (design example) 111–112
 toxic waste 41, 44, 140
 toxins 3, 18, 42, 75, 136
 transit 12, 34–36, 125
 transpiration 46, 47
 traps 23, 24, 26, 35, 36
 trash cans (as surge tanks) 28
 treatment
 biological 104
 degree of 74
 effectiveness 2, 54
 treatment of GW before irrigation (error) 104
 trees. See also fruit trees
 with germination inhibiting properties 47
 tree growth 39
 trenches 91, 92
 troubleshooting. See maintenance and troubleshooting
- U**
- u-shaped pipe 56, 77, 97, 108
 UC Berkeley 43
 ultraviolet disinfection. See disinfection
 undevelopable lots 2
 Uniform Plumbing Code (UPC).
 See CPC/UPC
 uphill irrigation 23
 urine 41, 43, 44, 140
 users 4, 15, 17
- V**
- vacuum breaker. See air gap, vacuum breaker
 Valterra Products, Inc. (supplier) 141
 valves 30, 32–36, 74, 81
 back-flow prevention 62
 backwater 111
 ball 29, 62, 63, 72
 boxes 95
 check (one way) 24, 26, 59, 60, 62
 diverter (3-way) 21, 92, 95, 99.
 See also Jandy (supplier)
 as cleanout 24, 84
 for automated zone switching 98
 in various systems 55, 56, 58, 59, 111, 117, 118
 plumbing for 25, 26
 electric 34, 108
 for Furrow Irrigation 129
 RV dump 111
 solenoid (shutoff) 34
 vegetables 45, 105
 irrigation w/ GW 105, 126
 vents 23, 24, 25, 26, 35, 55, 56
 auto 24
 vermin 55, 74, 127
- W**
- warm-up water 2
 warning of failure 24
 Washington Toxics Coalition 44
 washing machine 11, 20, 25, 28, 40, 47, 53, 58, 59, 60, 76, 88
 "suds saver" 137
 GW plumbing for 25, 58
 washing diapers in 2
 wastewater
 amounts 11
 centralized treatment vs greywater reuse 41
 treatment facilities 9
 water
 bills 14, 111
 chronic shortage 102
 conservation 9, 13, 114
 consumption 15, 105, 114, 115
 average 14
 cycle ii, 136
 quality 69
 resources 9
 savings 16
 security ii
 waterlogging 24, 25, 39, 50, 97, 106
 Water Conservation Systems (supplier) 141
 water level (tool) 12, 34, 124, 129
 Water Quality Testing Procedures and Information Packet 146
 water sensitive plants. See plants, water and rot sensitive
 water softeners 41, 43
 Water Storage 19, 137
 Water Storage Extras 146
 water table 8
 water transit (tool) 124–125
 Weed-Stop matting 63
 welding (of plastic pipe) 36
 wetlands 47, 98
 whitening. See cleaners, biocompatible
 wind 15
 wire mesh 97
 wood chips. See mulch
 wyes 81
- Y**
- yard too small. See area, small yard
- Z**
- Zabel pumps. See pumps, Zabel zones
 greywater 20–22
 irrigation 20, 37, 112