

# Index

## (larger type)

### A

abney level 125  
 ABS (drainpipe) 30, 31, 34, 81, 82  
 access plugs 95, 96  
 acidic soil. See soil, acidic  
 activated sludge treatment 136  
 ac (acre) 139  
 adobe 66  
 aerobic conditions 46, 47, 99  
 Aerobic Treatment Unit (ATU) 72  
 aesthetics 5, 75, 77, 121  
 afy (acre-feet per year) 139  
 airlock 56  
 air gap, vacuum breaker 23, 25, 58, 60  
 Alaskan oil camp 102  
 algae bloom 41  
 allelopathic trees. See trees, with germination inhibiting properties  
 anaerobic  
   conditions 46, 75, 97  
   in dosing siphons 82  
   digestion 72  
   meltdown 69  
 animals, burrowing. See burrowing animals  
 apple. See fruit trees  
 appliance energy use 103  
 appliance pumps. See pumps, appliance  
 aquatic ecosystems 41  
 Aqua Flo Supply (supplier) 141  
 aquifers. See groundwater  
 architects 17  
 area  
   for irrigation 39–40  
   for treatment 13, 14, 37, 38, 46, 97  
   of mulch basins 112  
   small yard 3, 12  
 arid lands. See climate, dry  
 Arizona 138  
 assuming it's simple (error) 100  
 atm (atmosphere) 139  
 ATU. See Aerobic Treatment Unit (ATU)  
 auditory warning of failure 24  
 auger holes 50  
 Automated/Sand Filtration to Sub-surface Emitters. See greywater system types, Automated/Sand Filtration to Subsurface Emitters  
 avocado. See fruit trees

### B

backfilling (under pipe) 92, 94  
 bacteria 18, 46, 67, 69, 72  
   beneficial 74  
 bamboo. See plants, bamboo  
 bananas 129  
 barrel outlet chamber. See outlets, half-barrel  
 bathing garden. See greywater system types, Landscape Direct  
 bathtubs 11, 40, 47, 53, 57, 61, 88, 113  
   “forever hot” 9  
   plumbing 25, 26, 28  
 bends (in pipe) 81  
 beneficial bacteria. See soil bacteria

berms 117  
 big family in new house (example) 118  
 Big Sur 102  
 Bilson, Steve 71  
 biocompatibility chart 42  
 Biological Oxygen Demand (BOD) 68, 72  
 biomat 64  
 blackwater 2, 72, 102, 107  
   and vents 24  
   health considerations 67, 88  
   systems for treating 53, 67, 68, 87, 115, 116  
 bleach 43  
 BOD. See Biological Oxygen Demand (BOD)  
 bogs 47, 98, 117–118  
 Bolcomb, Doug and Sarah 66  
 book design i  
 boron 42, 43  
 Box Troughs. See greywater system types, Subsoil Infiltration Galleys  
 Branched Drain. See greywater system types, Branched Drain  
 bucketing greywater. See greywater system types, Bucketing/Dishpan Dump  
 Builder's Greywater Guide 7, 15, 29, 39, 76, 83, 88, 95, 110, 111, 120, 138, 140, 146  
 building paper 63  
 buried utilities 90  
 burrowing animals 96, 97  
 bypass 25, 60

### C

California Department of Water Resources 43  
 California greywater study 111  
 California Plumbing Code (CPC) 64, 71, 109, 112  
 canoe shaped tank 115  
 carbon/nitrogen ratio 47  
 car washing 15  
 cattails 68  
 Center for Irrigation Technology 71  
 channels (for greywater). See greywater system types, Furrow Irrigation  
 Chemical Oxygen Demand (COD) 72  
 chlorine 42, 43, 135  
 cisterns 102, 114, 115, 137  
 civilization, collapse of 44  
 clarified septic effluent 69, 72, 87, 98  
 clay soil 12, 19  
 cleaners 136  
   biocompatible 41–43, 127  
   study 140  
   contamination from 18  
   in the developing world 127  
 cleanouts 22, 24, 26, 55, 81, 84, 95, 111  
 clearwater 2, 40, 109  
   definition 2  
 climate 13, 14, 15, 46  
   cold 45, 52, 68, 99, 109, 116, 126  
   dry 13, 39, 44, 68, 84, 106, 114, 118, 137  
   extreme 8, 15, 65  
   warm 45  
   wet 39, 50, 117  
 Clivus Multrum (supplier) 137, 141

clogging 83, 98  
   clearing clogs 95, 96, 97  
   of double ell flow splitters 112  
   of filter (story) 108  
 COD. See Chemical Oxygen Demand (COD)  
 coliform bacteria. See bacteria  
 combined wastewater designs used for greywater (error) 107  
 compacting soil 94  
 compost 12, 48, 50, 56, 128  
   heat generated by 126  
 computer controls 69  
 concrete (mixing) 90  
 conifers 46  
 conjunctive use 137  
 Constructed Wetlands. See greywater system types, Constructed Wetlands; See also greywater system types, Constructed Wetland  
 context i, 5–16, 17–21, 121  
 contour map 12, 123  
 contractors 16, 17  
 conversion (of units) 139  
 coordination (of specialists) 17  
 copper pipe 31  
 cost/benefit. See economics, cost/benefit  
 CPC/UPC 8, 18, 52, 62, 64, 76, 81, 101, 110, 120  
 creeks 18, 104  
 critical distance (for p-trap) 23  
 cross connections 18, 138  
 crud 22, 23, 56, 75, 82, 84, 91, 134  
 Cuernavaca 75  
 cyclones 130

### D

“dark grey” water 2  
 daylighting 95  
 demonstration projects 101  
 dengue fever 127  
 desert. See climate, dry  
 designs from government, salespeople, and engineering firms (error) 109–110  
 developing world. See non-industrialized world  
 diapers 18, 138  
 dipper box 78, 79, 81, 95, 98, 112  
   as cleanout 24  
   as flow splitter 78, 83  
   installation 90–91, 111  
   in Green Septic 67  
 disease. See health considerations  
 Dishpan Dump/Bucketing.  
   See greywater system types,  
   Dishpan Dump/Bucketing  
 dishwasher 25, 53  
 disinfection 22, 69, 73, 74, 101, 135  
 disposal (of greywater) 7, 20  
 disposal environment 42  
 distillation 136  
 distribution (of greywater) 34  
   by gravity 11  
   cones. See emitters, distribution cones  
   drip. See irrigation, drip  
 ditches. See swales  
 diverter valve. See valves, diverter (3-way)  
 donkey (as means of water transport) 114  
 dosing 37, 52, 64, 73  
   progressive failure without 64  
 dosing siphons 29, 81, 82, 98  
 double ells 56, 76, 78, 80, 81, 93, 98

downspouts (for rain) 24, 50, 78, 84  
 drain-waste-vent (DWV) plumbing 31, 81  
 drains (in surge tanks) 103, 115  
 Drain to Mulch Basin/Drain Out Back. See greywater system types, Drain to Mulch Basin/Drain Out Back  
 dripline 30, 48, 50  
 drip irrigation. See irrigation, drip  
 drought 28, 37, 50, 108, 110, 136  
   as design consideration 15, 101  
   temporary GW systems 61, 133  
 Drumless Laundry. See greywater system types, Drumless Laundry  
 Drum with Pump (and Filter).  
   See greywater system types,  
   Drum with Pump (and Filter)  
 drywells 50  
 dual plumbing. See plumbing,  
   greywater and toilet separate  
 dynamite  
   uses in the garden 50

### E

earthworms 64  
 eco-tourism 119, 129  
 eco-villages 114  
 ecological cost 74, 77  
 ecological design 5  
 Ecological Machines 69  
 economics 5, 16, 53, 69, 77, 100, 101, 109, 111  
   cost/benefit 3, 15, 16  
   cost/benefit examples 112, 114, 115, 118, 130  
   cost of suburban system (table) 113  
 Eden-like bathing grotto 54  
 edible landscaping 19, 54, 140  
 efficient fixtures. See fixtures, efficient  
 elbows 81  
 electricity 16, 53, 74, 75, 76, 133, 134  
 electronics 74  
 emitters 24, 30, 62, 112  
   distribution cones 69–71  
   drip 63  
   sub-mulch 111  
 energy use 51, 71, 133, 134, 136  
 engineers 17  
 environmental impact ii, 5, 74  
 EPDM 68  
 erosion 97  
 errors and mistakes 100–110  
 evaporation 19  
 evapotranspiration 13, 43, 46, 130  
   peak values by climate 14  
 evergreen trees 46. See also fruit trees  
 examples 111–120

### F

Fab One-Shot 127  
 failure 74  
   modes 24  
   rate 77  
 fall (for pipes) 19, 82, 93, 114  
   and pumps 133  
   as design constraint 11, 20  
   conserving 19, 22–23, 25, 112  
   in household water cascade 136  
   slope for optimal flow 22  
 fantasy and reality (transitioning between) 16

- faucets 37  
ferrocement 65, 114, 115, 140  
fertilizer 47, 48, 50, 96  
figs. See fruit trees. figs  
filter fabric 64  
filtration 4, 53, 62, 74, 77, 119, 134, 134–136  
  and pumps 63, 73, 103  
  by settling 72, 135  
  cleaning filters 18, 37  
  common mistakes 108  
  failure modes (table) 24  
  for drip irrigation 72, 108  
  for perforated pipe 106  
  net bag 62, 134  
  plumbing 20, 22  
  sand filtration 46, 69, 101, 107, 118, 133, 134  
  surge capacity before 28  
  using Constructed Wetland for 69, 135  
  using infiltration bed for 135  
finding pipes. See mapping your greywater system  
fire 15  
fittings (for pipe) 31  
  leaving unglued 92  
  shoulder in 31  
fixtures 51. See also bathtubs; See also showers; See also sinks; See also washers  
  efficient 9, 14, 19  
flash floods 137  
flexibility (building for) 23  
flexible PVC. See PVC (pipe), flexible  
float switch 30, 133  
flooding 15, 19, 89, 101  
floodway 138  
flow bottleneck 28  
flow splitters 76, 79, 81, 85, 91  
  and Green Septic 67  
  branching geometry 83  
  building for flexibility 78  
  clearing 95, 96  
  trying to clog (story) 112  
Fluid Dynamic Siphons, Inc (supplier) 141  
forces of nature 15  
fouled stench. See odor, minimizing  
freezing 3, 53, 59, 60, 99, 126  
  automatic zone switch for 126  
  French drain tubing 108  
friction-fit connections 23, 92, 93  
frost line 126  
fruit trees 39, 111, 112, 113, 114, 115, 119, 127  
  citrus 20, 74  
  for greywater reuse 45  
  for treatment/disposal 46  
  irrigation need example 13  
  on swales 50  
  stone fruit 21  
ft<sup>3</sup>/sec (cubic feet per second) 139  
fudge factor  
  jiggling estimates by 15  
Furrow Irrigation. See greywater system types, Furrow Irrigation
- G**  
gal (gallon) 139  
garden hoses 18, 30, 54  
garden hose direct from the back of the washer (error) 106  
Garden Hose Through the Bathroom. See greywater system types, Garden Hose Through the Bathroom  
  general principles (lack of) 101  
  Geoflow (supplier) 141  
  geometry of Branched Drains 83, 113  
  gluing pipe 83, 92–93  
  goals i, 5–16, 16, 100, 101  
  gophers. See burrowing animals  
  gpm (gallons per minute) 139  
  gravel  
    in Mini-Leachfield 64  
    in the garden 101  
  Gravity Drum. See greywater system types, Gravity Drum  
  grease 97, 99  
    trap 97, 103  
  greenhouses. See greywater system types, Solar Greywater Greenhouse  
  Green Septic. See greywater system types, Green Septic  
  greywater  
    definition 2  
    during wet season 114  
    estimating quantity 9–11  
    percentage of total wastewater 2  
    what to do with it when you don't need it 41  
  Greywater Extras 146  
  Greywater Policy Center 110, 140  
  greywater staying on surface (error) 104  
  greywater systems  
    elements of 4  
    for large house 20  
    overbuilt (error) 101  
    overly complicated (error) 74  
  greywater system types 52  
    Automated/Sand Filtration to Subsurface Emitters 16, 29, 37, 52, 69, 70, 118  
    Branched Drain 39, 51, 52, 104, 107, 114, 134  
    and infiltration galleys 64  
    cement channel 75  
    clog test 80  
    design 74–89, 123  
    example 6, 40, 111  
    fall required 12, 22  
    installation 90–99  
    in cold climates 126  
    limitations of 76–78  
    permitted 7  
    with HDPE 36  
    Constructed Wetland 52, 68, 109  
    as filter 135  
    calculating area of 38  
    example 114, 115, 116  
    for low perk soil 12  
    in a desert (error) 101  
    storing effluent from 103  
    Constructed Wetlands 140  
    Dishpan Dump/Bucketing 52, 61, 105, 114, 127  
    buckets as drowning hazard for kids 115  
    distribution cones. See emitters, distribution cones  
    Drain to Mulch Basin/Drain Out Back 36, 40, 52, 55, 74, 75, 100, 107, 114, 127  
    Drumless Laundry 40, 52, 58, 64, 106  
    Drum with Pump (and Filter) 24, 52, 60, 62, 64, 65, 98, 134  
    Furrow Irrigation 11, 52, 75, 127–132  
    Garden Hose Through the Bathroom 52, 61  
    Gravity Drum 57, 62, 106  
    Green Septic 52, 67, 98  
    Landscape Direct 36, 52, 55, 127  
    Laundry Drum 52, 57  
    Mini-Leachfields 52, 63  
    in CA law 110  
    Moveable Drain to Mulch Basins 40, 51, 52, 56, 107  
    Septic Tank, Media Filtration, and Subsurface Drip 52  
    Solar Greywater Greenhouse 38, 39, 52, 65, 69, 98, 105, 126  
    bathing grotto in 54  
    photo 65, 66, 126  
    study on 140  
    Subsoil Infiltration Galleys 52, 64, 65, 66, 73, 98  
    example 115  
  groundwater ii  
    contamination ii, 12, 18, 46, 136, 138  
    mining ii  
    recharge 3, 41, 136, 137  
  guava. See fruit trees  
  gypsum 44
- H**  
half-barrel outlet chamber.  
  See outlets, half-barrel  
half pipes 65, 73  
hardpan 50  
ha (hectare) 139  
HDPE. See High Density Polyethylene (HDPE)  
health considerations 18, 91, 105, 140  
  and irrigating turf 104  
  and irrigating vegetables 105  
  and secondary treatment 72  
  and subsoil infiltration galleys 87  
  blackwater 67  
  greywater on surface 41  
  hygiene 114, 121  
  infectious microorganisms 105  
  in the non-industrialized world 127  
  study 140  
  too much/little concern 3, 104  
heat recovery 126, 140, 141  
hedges 13, 19  
High Density Polyethylene (HDPE) 64, 86  
  pipe 31, 35, 59, 62, 99  
high flow greywater systems 7, 15, 38, 39, 53, 71, 102, 103, 107, 109  
  Branched Drain unsuitable for 78  
high pressure 37  
Hilo 137  
Homestead Utilities (supplier) 109, 141  
hose thread adapter 58  
household water cascade 2, 41, 120, 135, 136–138, 140  
houses  
  building smaller 102  
  Huehuetortuga 114, 116  
  humidity 14  
  hydrogen peroxide 43  
  hydrogen sulfide 103
- I**  
inconvenience (of greywater systems) 3  
inexpensive greywater to drip irrigation (error) 108–109  
infiltration 19  
  rates 13  
infiltration galleys. See greywater system types, Subsoil Infiltration Galleys  
Infiltrators 30, 64. See also greywater system types, Subsoil Infiltration Galleys  
  for Branched Drain 86, 87, 94, 113  
  for Green Septic 67  
  in Constructed Wetland 68  
Infiltrator Systems (supplier) 141  
inlet (of tank) 115  
inspections (for permit) 7, 17, 22, 85, 88, 95, 110  
inspection access 84  
  for flow splitters 80  
  plugs (in double ells) 80  
iron pipe 31  
irrigating plants that can't take it (error) 106  
irrigation 2  
  actualizing water savings 106  
  coordinating greywater and freshwater 37, 38–39, 39, 69  
  demand 13, 20, 116, 129  
  example 14, 113  
  matching to greywater delivery 38, 39, 40  
  drip 37, 39, 72, 108  
  efficiency 37, 38, 75, 105, 112, 114, 133  
  definition 40  
  in Branched Drain 78  
  subsurface 63, 105  
  supplemental 20, 88, 112  
  underground drip 15. See also Geoflow (supplier)  
  uphill 76  
  variation 105  
  zones 81, 98, 99
- J**  
Jandy (supplier) 141  
John Todd Ecological Design, Inc. (supplier) 141
- K**  
kPa (kilopascal) 139
- L**  
labor (estimate of) 36  
lakes 18  
landscapers 17, 77, 94  
landscapes 19, 37–50  
Landscape Direct. See greywater system types, Landscape Direct  
Laundry Drum. See greywater system types, Laundry Drum  
laundry water 25, 107, 113  
  separate system 51  
lawns 13, 15, 45, 52, 69, 77  
  irrigating with GW (error) 104  
  systems for irrigating 69–73.  
  See also Orenco Systems (supplier); See also ReWater Systems (supplier)  
laws 120, 138  
leachfields 8, 16, 67, 81, 107, 112  
  failing 88  
Leaching Chamber. See greywater

- system types, Subsoil Infiltration Galleys  
 leaves. See mulch  
 LEED 137  
 legality 1, 3, 15, 17, 25, 75, 77, 109, 112, 120  
   CA GW law as example (error) 110  
   of Branched Drain 57  
 leveling pipe. See pipe, leveling  
 life-cycle analysis 71  
 lifestyle 5  
   ecological 16, 34  
 life expectancy (of GW system) 112  
 lint 41, 107  
 Little Giant Pump Company (supplier) 30, 133, 141  
 Living Machines. See Ecological Machines  
 loading rate 130  
 locating pipe. See mapping your greywater system  
 Long Term Acceptance Rate (LTAR) 13  
 Los Angeles 104  
   Department of Water Reclamation 3  
 lpm (liters per minute) 139  
 lumping or splitting flow 19  
 L (liter) 139
- M**
- m (meter) 139  
 m3/day (cubic meters per day) 139  
 m3 (cubic meter) 139  
 maintenance and troubleshooting 15, 17, 21, 24–28, 74, 76, 95  
   of Branched Drains 77, 96  
   of greywater furrows 130  
   of subsurface drip 71, 72, 119  
 mango. See fruit trees  
 mansion with a greywater system 102  
 mapping your greywater system 95  
 Maruata 127, 130–132  
 measuring greywater flow 112  
 mesh filter bag 63  
 Mexico 61, 68, 69, 75, 114  
 Michoacán 119–120, 127, 130–132  
 microclimate 19  
 microorganisms 18  
 Mid State Concrete (supplier) 141  
 minerals (in greywater) 69  
 Mini-Leachfields 62. See also greywater system types, Mini-Leachfields  
 mistakes. See errors and mistakes  
 moisture sensors 98  
 moles. See burrowing animals  
 monsoon 130  
 mosquitoes 47, 75, 127, 138  
 Moveable Drain to Mulch Basins. See greywater system types, Moveable Drain to Mulch Basins  
 muck. See crud  
 mulch 12, 47, 48, 50, 57, 84, 85, 97, 111, 117, 118  
   automatic replenishment 74  
   health considerations 18, 29, 74  
   in cold climates 99  
   in the non-industrialized world 127  
 mulch basins 47–50, 52, 75, 76, 85, 86, 87  
   and runoff management 19
- area required 38  
 forming 94  
 for rot sensitive plants 87, 99  
 in various systems 54–63, 74, 111, 114, 117  
 servicing 96, 112  
 surge capacity 29, 88  
 Multi-Mode Greywater Tank 114  
 multifamily greywater systems.  
   See high flow greywater systems  
 multiunit dwellings 7  
 municipal wastewater 69
- N**
- naked eye (as measurement tool) 124  
 Natural Systems (supplier) 141  
 natural waters  
   contamination of 2  
   gw discharge into 74  
   neighbors 15  
 new construction 7, 17, 38, 67, 69, 75, 101, 110, 118, 120, 138, 146  
   note for 7  
 New Mexico 138  
 nitrate 46  
 nitrogen 2, 42, 47  
 no-hub connectors 23, 26, 33  
 non-industrialized world 9, 52, 74, 80, 127–132  
   drain out back for 74  
 Northwest Water Source (supplier) 141  
 no money (design example) 130  
 no water (design example) 114–115  
 NutriCycle Systems (supplier) 141  
 nutrients 2, 72, 100, 118  
   reclamation of 3  
 nutrient and water cycles 3
- O**
- oak trees 106  
 Oasis Biocompatible Cleaners (supplier) 141  
 Oasis Design (supplier) 141  
 obstacles (to laying pipe) 90  
 odor 75  
   minimizing 28, 97, 118, 128  
 optimization 17  
 Orenco Systems (supplier) 72, 73, 141  
 outdoor living area 19, 45  
   cooling by evaporation 19, 130  
 outlets 39, 76, 85, 94, 95, 96, 111  
   5 gal buckets 94, 113  
   chambers 118  
   configurations 87  
   extensions 92  
   flower pot 86  
   flower pot chamber 111, 112, 113  
   free flow 47, 84–85  
   in cold climates 126  
   half-barrel 86  
   in Branched Drains 84  
   positioning 87–92  
   sub-mulch via outlet chambers 85–86  
   subsoil infiltration galleys 86–87  
   troubleshooting 96, 97  
 out of context design 101  
 overflow 82  
 overflows 24, 25, 27, 28  
 ozonators 73, 101, 135
- P**
- p-trap 23, 25, 26, 55, 80  
 Pacific Echo, Inc. (supplier) 141  
 paint sprayer bag (as filter) 30, 134  
 pantyhose (as filter) 30, 63, 69, 134  
 parties (diverting greywater during) 18  
 parts (for greywater systems) 30, 31–34, 80–82, 81  
 passive solar heat 19  
 pathogens 2, 18, 42, 46, 54  
   study, travel in soil 141  
 peach. See fruit trees  
 pear. See fruit trees  
 pee. See urine  
 percolation 2, 3, 6, 12, 37  
   greywater loading rates depending on 13  
   high 45, 114  
   low 8, 41, 47, 67, 76, 87, 99  
   use of wetlands where rate is low 68  
 perfection standard 5, 34  
 perforated pipe 106  
   reasons not to use 104, 106  
 performance standard 121  
 permaculture 37  
 permits 7, 15, 34, 75, 76, 91, 102, 111, 118  
 pH 43  
 phosphate 43, 46  
   varying effect by disposal environment 42  
 photos (of your site) 121, 123  
 photos (of your system) 95  
 photovoltaics 137  
 pigs 130  
 pipe 81  
   flow resistance 59  
   laying 92–95  
   leveling 76, 94  
   proper slope 11, 22, 76, 85, 92, 93, 112  
   size 59, 99  
 plants 45–47  
   bamboo 45, 140  
   as pipe 31  
   small 77  
   treatment capacity 39  
   water and rot sensitive 49  
   wetland 39, 46, 47, 68  
 plastic (amount of) 77, 83  
 plastic drums 28  
   as surge tank 62  
 plum. See fruit trees  
 plumber's snake 24  
 plumbers 17, 22, 25, 77, 94, 107, 112  
 plumbing  
   cast iron 27, 34  
   codes 22, 24, 87  
   collection 51, 57, 67, 84  
   distribution 4, 51, 81, 90, 104  
   do-it-yourself 25, 29  
   fittings 99  
   gravity collection 4, 11, 19, 22, 26, 56  
   greywater and blackwater separate 7, 67, 71  
   health considerations 22  
   in slab 52  
   pipe size 28, 31, 107  
   potable water designs, parts for gw (error) 108  
   pressurized collection 25, 59  
   principles 22
- professional installation 8  
 radical 24, 34–36, 36  
   where to divert greywater 23  
 Polylok Inc. (supplier) 82, 141  
 population density (high) 41  
 potassium 42, 43  
 potassium chloride. See salt  
   Kalium Chemical (supplier) 141  
 precipitation. See rainfall  
 pressure relief 24  
 pressure sensors 133  
 Principles of Ecological Design 101, 146  
 privacy 19  
 prunings. See mulch  
 psi (pounds per square inch) 139  
 puddles 128  
 pumps 4, 20, 30, 74, 77, 119, 133–136  
   and Branched Drains 76  
   appliance 25, 58, 59, 60, 106  
   effluent 62, 73  
   enthusiasm for (error) 103  
   failure 24, 69  
   height differential 59  
   sump 63  
   surge capacity before 28  
   to pressurize lines 108  
   where to install 22  
   Zabel 62, 133  
 purification  
   greywater degree of 2, 18, 47, 136, 140  
   natural 1  
 PVC (pipe) 30, 31, 59, 82, 91, 99  
   flexible 30, 56, 58, 78, 79, 81, 96  
 PVC sanitario 32, 80, 81
- Q**
- quince. See fruit trees
- R**
- rain, using greywater during 41  
 rainfall 43  
   high 50  
   low 19, 127  
 rainwater 17, 19, 44, 78, 96  
   drum 57  
   harvesting 5, 40, 57, 137, 140  
 rainwater inlets 84  
 rain gutters 17, 24, 96  
 raw food 18  
 raw land 17  
 raw vegetables 105  
 Real Goods (supplier) 141  
 real world examples. See examples  
 rebar 90  
 receiving landscape 4, 90  
 reclaimed water 2  
 reducing vs. reusing 5  
 reductions 81, 84  
 reforming mulch basins. See mulch basins, servicing  
 regulators 69, 71, 100, 102, 120  
 remodeling 138. See also retrofits  
 removable couplings 23  
 repairing soil 44  
 retrofits 7, 15, 33–36, 38, 75  
 return flows 4  
 reuse  
   efficiency 5, 20, 74, 77, 115  
   indoor 8  
   vs. disposal 13, 39, 57  
 reverse-osmosis drain water 2, 11, 40, 109  
 ReWater Systems (supplier) 37, 69, 102, 118, 119, 141

- rock beds 66  
 roots  
   clogging pipes 56  
   weed-stop matting 63  
 root suffocation 75, 87  
 root zone 48, 78, 96  
 rot sensitive plants. See plants, water and rot sensitive  
 runoff 89, 117  
   in wet climates 50, 96, 98  
   management 19, 40, 137, 141  
   of greywater 24, 118, 129
- S**
- s-trap 23  
 salt 37, 43, 44, 127  
   flushing with rainwater 19, 24, 44, 57, 78, 84, 96  
   in cleaners 43  
   removal in hydrologic cycle 136  
   varying effect by disposal environment 42  
 sand filtration. See filtration, sand filtration  
 sanitary fittings 31  
 sanitary tees. See tees  
 sanitation 74, 127. See also health considerations  
 Santa Barbara 110  
 San Diego 71  
 savings 16  
 sawsall 27  
 screen mesh 57  
 scribing arcs to locate pipes.  
   See mapping your greywater system  
 seawater desalination 3  
 septic/sewer 2, 25, 26, 43, 98  
   eliminating 8, 34  
 Septic Tank, Media Filtration, and Subsurface Drip. See greywater system types, Septic Tank, Media Filtration, and Subsurface Drip  
 septic tanks 2, 12, 41, 71, 81, 107, 114, 115, 117  
   as filter 87, 107, 135  
   codes 18  
   effluent. See clarified septic effluent  
   Green Septic. See greywater system types, Green Septic  
   saving money by removing greywater 9, 16, 112  
   site unsuitable for 2  
 service (ease of) 24  
 settling tank. See septic tanks  
 sewage treatment plant 3, 75, 88  
 sewers 9, 25, 44, 71, 111, 140  
 sewer gas 23  
 shade 127  
 shortcuts 7  
 showers 11, 20, 28  
   plumbing for 25, 40, 113  
   systems for reusing water 53, 57, 61  
 "Shrubber" emitter 50  
 shrubs 46  
 signs of system distress 24  
 silicone sealer 23, 33, 92  
 sinks 25, 26  
   bathroom 11, 28, 40, 53, 106  
   kitchen 2, 11, 28, 33, 40, 53  
   laundry sink as surge tank 28  
 siphons 24, 59, 60, 61, 124  
 site assessment form ii, 17, 121–123  
 site map 9, 12, 19, 111, 121  
   examples 113, 116  
 slab on grade construction 20  
 slope (for gravity distribution) 76, 126. See also pipes, proper slope  
   measuring 124–125  
 slow drains 24  
 slugs 80, 97  
 snow 99  
 soaker hose (useless for GW) 108  
 soaps  
   liquid vs powder 43  
 social climate 15  
 sodium 43  
 sodium chloride. See salt  
 sodium perborate 43  
 softeners. See cleaners, biocompatible  
 soggy soil. See waterlogging  
 soil  
   acidic 45  
   alkaline 44  
   clay 43, 49, 56, 118, 127  
   loading rates 13  
   overload 75  
   pH 44, 47  
   quality, preserving & repairing 41–44, 111, 112  
   type (effect on irrigation design) 40  
   unsuitable for GW 3  
 Solar Greywater Greenhouse.  
   See greywater system types, Solar Greywater Greenhouse  
 solar heating 66  
 Southwest Wetlands 68  
 spa-flex. See PVC (pipe), flexible  
 spill point 24, 29  
 splitting the flow 75, 78, 79  
 sprinklers 18, 105, 135  
 standpipe 60  
 State Revolving Fund (SRF) 71  
 sterilization 135  
 Stinson Beach 72  
 storing greywater (error) 18, 103, 114  
 straw. See mulch  
 street fittings 31  
 subsoil infiltration galleys 57, 98  
 subsurface irrigation. See irrigation, subsurface  
 suburbia (design example) 16, 112  
 "suds saver" 137  
 suffocation of plant roots 39  
 sulphur 42  
   to lower pH 44  
 supply fittings 31  
 surface water  
   contamination ii, 18, 41, 118, 128, 136  
 surges 28, 85  
   creating 82  
 surge capacity 28–29, 50, 112  
   before filter 28  
   measuring 95  
   of Branched Drains 88  
 surge tanks 4, 22, 24, 28, 74, 77, 103, 108, 133  
   for dosing siphon 29  
   in various systems 58, 62, 71, 114, 115  
   underground 28  
 surge volume 47  
 swales 19, 29, 50, 130, 137  
 swept earth 127, 132  
 swimming pools 15  
 systems approach (to design) 17  
 system overload 18, 38
- T**
- Tad Montgomery & Associates (supplier) 141  
 tax credit 3  
 tees 63, 80, 81  
   as flow splitter 78  
   sanitary 93  
 Texas 138, 140  
 third world. See non-industrialized world  
 three-way valve. See valves, diverter (3-way)  
 Tijuana 127  
 Todd, John 69  
 toilets 11, 14, 26, 43  
   composting 34, 36, 43, 117, 137, 141  
   Clivus Multrum (suppliers) 141  
   WHO study & designs 141  
   dry 114  
   flushing with greywater 8, 41, 109, 120  
   in household water cascade 136  
   low flow 114  
   plumbing separate from greywater 23, 25  
   Watson Wick 36  
 tools for greywater work 34  
   in the developing world 128  
 too wet (design example) 117–118  
 topsoil  
   treatment capacity 18  
 town (design example) 111–112  
 toxic waste 41, 44, 140  
 toxins 3, 18, 42, 75, 136  
 transit 12, 34–36, 125  
 transpiration 46, 47  
 traps 23, 24, 26, 35, 36  
 trash cans (as surge tanks) 28  
 treatment  
   biological 104  
   degree of 74  
   effectiveness 2, 54  
 treatment of GW before irrigation (error) 104  
 trees. See also fruit trees  
   with germination inhibiting properties 47  
 tree growth 39  
 trenches 91, 92  
 troubleshooting. See maintenance and troubleshooting
- U**
- u-shaped pipe 56, 77, 97, 108  
 UC Berkeley 43  
 ultraviolet disinfection. See disinfection  
 undevelopable lots 2  
 Uniform Plumbing Code (UPC).  
   See CPC/UPC  
 uphill irrigation 23  
 urine 41, 43, 44, 140  
 users 4, 15, 17
- V**
- vacuum breaker. See air gap, vacuum breaker  
 Valterra Products, Inc. (supplier) 141  
 valves 30, 32–36, 74, 81  
   back-flow prevention 62  
   backwater 111  
   ball 29, 62, 63, 72  
 boxes 95  
 check (one way) 24, 26, 59, 60, 62  
 diverter (3-way) 21, 92, 95, 99.  
   See also Jandy (supplier)  
   as cleanout 24, 84  
   for automated zone switching 98  
   in various systems 55, 56, 58, 59, 111, 117, 118  
   plumbing for 25, 26  
   electric 34, 108  
   for Furrow Irrigation 129  
   RV dump 111  
 solenoid (shutoff) 34  
 vegetables 45, 105  
   irrigation w/ GW 105, 126  
 vents 23, 24, 25, 26, 35, 55, 56  
   auto 24  
 vermin 55, 74, 127
- W**
- warm-up water 2  
 warning of failure 24  
 Washington Toxics Coalition 44  
 washing machine 11, 20, 25, 28, 40, 47, 53, 58, 59, 60, 76, 88  
   "suds saver" 137  
   GW plumbing for 25, 58  
   washing diapers in 2  
 wastewater  
   amounts 11  
   centralized treatment vs greywater reuse 41  
   treatment facilities 9  
 water  
   bills 14, 111  
   chronic shortage 102  
   conservation 9, 13, 114  
   consumption 15, 105, 114, 115  
     average 14  
   cycle ii, 136  
   quality 69  
   resources 9  
   savings 16  
   security ii  
 waterlogging 24, 25, 39, 50, 97, 106  
 Water Conservation Systems (supplier) 141  
 water level (tool) 12, 34, 124, 129  
 Water Quality Testing Procedures and Information Packet 146  
 water sensitive plants. See plants, water and rot sensitive  
 water softeners 41, 43  
 Water Storage 19, 137  
 Water Storage Extras 146  
 water table 8  
 water transit (tool) 124–125  
 Weed-Stop matting 63  
 welding (of plastic pipe) 36  
 wetlands 47, 98  
 whitening. See cleaners, biocompatible  
 wind 15  
 wire mesh 97  
 wood chips. See mulch  
 wyes 81
- Y**
- yard too small. See area, small yard
- Z**
- Zabel pumps. See pumps, Zabel zones  
 greywater 20–22  
 irrigation 20, 37, 112